SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Optiphen™ PLUS

preservative

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Preservative

Details of the supplier of the safety data sheet

SAFFIRE BLUE INC. 1444 BELL MILL SIDEROAD TILLSONBURG, ON N4G4G9 CANADA www.saffireblue.ca 519-286-0295 | 877-248-1115

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear eye protection/ face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.



Optiphen™ PLUS preservative

Revision Date: 05/21/2015 Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
2-PHENOXYETHANOL	122-99-6	Acute Tox. 4; H302	52.25
		Eye Irrit. 2A; H319	
1,2-OCTANEDIOL	1117-86-8	Eye Irrit. 2A; H319	41.73
SORBIC ACID	110-44-1	Skin Irrit. 2; H315	6.00
		Skiii iiiii. 2, 11313	
		Eye Irrit. 2A; H319	
		STOT SE 3; H335	

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.



Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Protect unharmed eye.

If swallowed : IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways) pain in the abdomen and lower back

acute kidney failure (sudden slowing or stopping of urine

production)

Causes serious eye irritation.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.



Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:

impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : 255 °F / 124 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available



Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Relative density : No data available

Density : 1.014 - 1.024 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Do not allow evaporation to dryness.

Exposure to light.

Incompatible materials : Strong bases

Strong oxidizing agents

Hazardous decomposition

products

carbon dioxide and carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Inhalation Skin contact

Eye Contact Ingestion

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Acute toxicity

Not classified based on available information.

Components:

2-PHENOXYETHANOL:

Acute oral toxicity : LD 50 (Rat): 1,850 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

1,2-OCTANEDIOL:

Acute oral toxicity : LD 50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Assessment: No adverse effect has been observed in acute

oral toxicity tests.

Acute inhalation toxicity : LC 50 (Rat): > 7.015 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Information given is based on data obtained from

similar substances.

SORBIC ACID:

Acute oral toxicity : LD 50 (Rat): 7.36 g/kg

Acute inhalation toxicity : LC 50 (Rat): > 38.1 mg/m3

Exposure time: 6 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD 50 (Rabbit): > 7,940 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

2-PHENOXYETHANOL:

Species: Rabbit

Result: Not irritating to skin

1,2-OCTANEDIOL: Species: Rabbit

Result: Not irritating to skin

SORBIC ACID:

Result: Irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

2-PHENOXYETHANOL:

Species: Rabbit

Result: Irritating to eyes

1,2-OCTANEDIOL:
Result: Irritating to eyes

SORBIC ACID: Species: Rabbit

Result: Irritating to eyes

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

2-PHENOXYETHANOL: Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

1,2-OCTANEDIOL:

Test Type: Local lymph node assay

Species: Mouse

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Germ cell mutagenicity

Not classified based on available information.

Components:

2-PHENOXYETHANOL:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

1,2-OCTANEDIOL:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

STOT - single exposure

Not classified based on available information.

Components:

SORBIC ACID:

Exposure routes: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-PHENOXYETHANOL:

Toxicity to fish : LC 50 (Fathead minnow (Pimephales promelas)): 337 - 352

mg/I

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): > 500 mg/l

End point: Growth inhibition

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Exposure time: 72 h Test Type: static test

Toxicity to fish (Chronic

toxicity)

: NOEC (Pimephales promelas (fathead minnow)): 23 mg/l

Exposure time: 34 d

Test Type: flow-through test Method: OECD Test Guideline 210

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia (water flea)): 9.43 mg/l

Exposure time: 21 d

End point: Reproduction Test Test Type: semi-static test Method: OECD Test Guideline 211

1,2-OCTANEDIOL:

Toxicity to fish : LC 50 (Danio rerio (zebra fish)): > 2.2 - < 22.2 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC 50 (Water flea (Daphnia magna)): 176 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

Toxicity to algae : EC 50 (Pseudokirchneriella subcapitata (green algae)): 35

mg/I

End point: Growth inhibition

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

SORBIC ACID:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 75 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 70 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EbC50 (Desmodesmus subspicatus (green algae)): 24.1 mg/l

End point: Biomass Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Desmodesmus subspicatus (green algae)): 41.9 mg/l

SAFETY DATA SHEET

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Water flea (Daphnia magna)): 50 mg/l

Exposure time: 21 d
Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Persistence and degradability

Components:

2-PHENOXYETHANOL:

Biodegradability : Result: Readily biodegradable

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301F

1,2-OCTANEDIOL:

Biodegradability : Result: Readily biodegradable

Biodegradation: 75 % Exposure time: 28 d

Method: OECD Test Guideline 301D Remarks: Readily biodegradable

SORBIC ACID:

Biodegradability : Result: Readily biodegradable

Biodegradation: 74.9 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

2-PHENOXYETHANOL:

Partition coefficient: n-

: log Pow: 1.16

octanol/water

1,2-OCTANEDIOL:

Partition coefficient: n- : log Pow: 1.0

octanol/water

SORBIC ACID:

Partition coefficient: n- : log Pow: 1.33 octanol/water pH: 2.5

Mobility in soil Components:



Optiphen™ PLUS preservative

Print Date: 05/21/2015

Print Date: 6/25/2015

SDS Number: R0717521

Version: 1.0

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUME	BER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
						LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

SAFETY DATA SHEET

SARA 313 Component(s)

Pennsylvania Right To Know

2-PHENOXYETHANOL

Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

Not dangerous	s goods
ANSPORT CANADA - RAIL	
Not dangerous	s goods
ANSPORT CANADA - INLAN	D WATERWAYS
Not dangerous	
ERNATIONAL MARITIME DA	ANGEROUS GOODS
Not dangerous	
ERNATIONAL AIR TRANSPO	ORT ASSOCIATION - CARGO
Not dangerous	
ERNATIONAL AIR TRANSPO	ORT ASSOCIATION - PASSENGER
Not dangerous	s goods
(ICAN REGULATION FOR T	HE LAND TRANSPORT OF HAZARDOUS MATERIALS AND
KICAN REGULATION FOR T	HE LAND TRANSPORT OF HAZARDOUS MATERIALS AND
STES	
STES Not dangerous	s goods
Not dangerous M = ORM-D, CBL = COMBUS	s goods
STES Not dangerous	s goods
Not dangerous M = ORM-D, CBL = COMBUS	s goods STIBLE LIQUID
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant	STIBLE LIQUID
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (STIBLE LIQUID
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (aceptions that can be applied.	STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (acceptions that can be applied. nipment.	STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific Consult shipping documents for descriptions that are specific to the
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (aceptions that can be applied.	STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific Consult shipping documents for descriptions that are specific to the
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (acceptions that can be applied. nipment.	STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific Consult shipping documents for descriptions that are specific to the
Not dangerous M = ORM-D, CBL = COMBUS Marine pollutant angerous goods descriptions (acceptions that can be applied. nipment.	STIBLE LIQUID no (if indicated above) may not reflect quantity, end-use or region-specific Consult shipping documents for descriptions that are specific to the

2-PHENOXYETHANOL

122-99-6

122-99-6

52.30 %

50.00 - 70.00 %



Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

1,2-OCTANEDIOL	1117-86-8	30.00 - 50.00 %
SORBIC ACID	110-44-1	5.00 - 10.00 %
New Jersey Right To Know 2-PHENOXYETHANOL	122-99-6	50.00 - 70.00 %
1,2-OCTANEDIOL	1117-86-8	30.00 - 50.00 %
SORBIC ACID	110-44-1	5.00 - 10.00 %

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AUSTR : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECL : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)



Optiphen™ PLUS preservative

Revision Date: 05/21/2015


Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/21/2015



NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Sources of key data used to compile the Safety Data Sheet

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade



Optiphen™ PLUS preservative

Revision Date: 05/21/2015

Print Date: 6/25/2015 SDS Number: R0717521

Version: 1.0

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit
P-Statement: Precautionary Statement
PRT: Persistent Rigarcumulative and T

 $\ensuremath{\mathsf{PBT}}$: $\ensuremath{\mathsf{Persistent}}$, $\ensuremath{\mathsf{Bioaccumulative}}$ and $\ensuremath{\mathsf{Toxic}}$

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System